

# Waterblasters

Our range of waterblasters including options such as portable petrol powered, portable electric start and trailerised versions, is ideal for the construction, industrial, agricultural and hire sectors.



# YRPRO Brendon Power Washers



The most versatile industrial mobile pressure washers and the ultimate in self-contained cleaning machines. Durable and reliable coupled with ease of manoeuvrability makes these Power Washers perfect for any hire fleet or construction site.

## Solutions:

- Industrial Cleaning including concrete, street cleaning and graffiti removal (hot water unit only)
- Ideal for construction sites, plant hire, agriculture, food industry and oil refineries

## Hot Powerwasher – 80 degrees 3500 PSI Diesel powered:

### Features:

- 28L Detergent System
- 15L recyclable Anti- Freeze System
- 700L Water Tank
- Robust Tubular Chassis
- Cat Pump for Heavy Continuous Use
- Belt Drive System
- Yanmar L100 Diesel Engine



MODEL	DIMENSIONS	WEIGHT	HOSE LENGTH	ENGINE	FUEL	WATER TANK	PUMP	LITRES PER MINUTE	PRESSURE RANGE	LANCE
YRHWBBW35KLN+ES	L 3490mm W 1550mm H 1350mm	800kg (dry weight)	15M 3/8" High Pressure Hose	Yanmar L100 Diesel	Diesel	700L	Heavy Duty Triple Piston Cat Pump	12.5 Litres per minute	3500Psi	1M Two Piece Trigger and Lance

## Cold Powerwasher – 3000 PSI Diesel powered:

### Features:

- Polypropylene Canopy with Detergent Control Valve & Pressure Gauge
- Lockable Hinged Tank Lid with removable Basket Filler
- 960L Water Tank
- Robust Tubular Chassis
- Yanmar Diesel Engine
- Cat Pump for Heavy Duty Continuous Use
- 3-Point Lifting Points
- Optional Extras; Rear mounted spray bar, whale tail or YRDT400 for dust suppression / Rear Forklift Points

## Cold Powerwasher – 3000 PSI Petrol powered:

### Features:

- Polypropylene Canopy with Detergent Control Valve & Pressure Gauge
- Lockable Hinged Tank Lid with removable basket Filler
- 960L Water Tank
- Robust Tubular Chassis
- GX390 Honda Petrol Engine
- Cat Pump for Heavy Duty Continuous Use
- Belt Drive System
- 3-Point Lifting Points
- Optional extras; Rear mounted spray bar, whale tail or YRDT400.T for dust suppression / Rear Forklift Points

## Cold Powerwasher – 5000 PSI Petrol powered:

### Features:

- Polypropylene Canopy with Detergent Control Valve & Pressure Gauge
- Lockable Hinged Tank Lid with removable Basket Filler
- 970L Water Tank
- Robust Tubular Chassis
- GX630 Honda Petrol V-Twin Engine
- Cat Pump for Heavy Duty Continuous Use
- 3-Point Lifting Points



## Options:



MODEL	DIMENSIONS	WEIGHT	HOSE LENGTH	ENGINE	FUEL	WATER TANK	PUMP	LITRES PER MINUTE	PRESSURE RANGE	LANCE
YRBBW30KLN+ES	L 3450mm W 1510mm H 1350mm	500kg (dry weight)	15M 3/8" High Pressure Hose	Yanmar L100 Diesel	Diesel	960L	Heavy Duty Triple Piston Cat Pump	15 Litres per minute	3000Psi	1M Lance Standard
YRBBW30KLN.HONDA	L 3450mm W 1510mm H 1350mm	500kg (dry weight)	15M 3/8" High Pressure Hose	Honda GX390	Petrol	960L	Heavy Duty Triple Piston Cat Pump	15 Litres per minute	3000Psi	1M Lance Standard
YRBBW50KPE-VT	L 3450mm W 1510mm H 1350mm	500kg (dry weight)	30M 3/8" High Pressure Hose	Honda GX630 V-Twin	Petrol	960L	Heavy Duty Triple Piston Cat Pump	16 Litres per minute	5000Psi	1M Lance Standard

# Mobile Engine-Powered Waterblasters



Heavy duty 500 Litre trailerised water blaster, designed for hard working industrial and contracting use.

## 500L Water Tank

### Features:

- 500L water tank
- Single hose reel
- Honda GX390 petrol engine
- Fully galvanised trailer
- Low water cut out
- Model YRTWB.3700.500.ECO



Honda GX390  
Recoil start  
Pressure: 3700psi  
Max flow: 17.5 L/min  
\*High pressure hose reel only

## 500L Water Tank

### Features:

- 500L water tank
- Twin hose reels\*
- Petrol or diesel engine
- Fully galvanised trailer
- Low water cut out
- Match up with one of four different engine options as below



## 1000L Water Tank

### Features:

- 1000L water tank
- Twin hose reels\*
- Petrol or diesel engine
- Fully galvanised & braked trailer
- Low water cut out
- Match up with one of four different engine options as below



BUILT TO ORDER ONLY

## Choose your engine and water blaster options:



Honda GX390  
Electric start  
Pressure 3000psi  
Max flow 21 L/min



Honda GX390  
Electric start  
Pressure 3700psi  
Max flow 17.5 L/min



Engine: Honda GX690  
Electric start  
Pressure 4000psi  
Max flow 21 L/min



Engine: Honda IGX800  
Electric start  
Pressure 3600psi  
Max flow 33 L/min



\*Comes with 1 x 30m high pressure and 1 x 30m low pressure hose.

# YRPRO Brendon Power Washers

A trolley mounted versatile industrial petrol powered waterblaster ideal for industrial cleaning jobs, rental fleet, plant & machinery.

### Features:

- Honda petrol engine
- 20M High Pressure 3/8" Hose
- 4.5M Suction Hose
- Solid Wheels to Eliminate Punctures
- Integrated Detergent System



NEW

50KPE-VT

MODEL	PRESSURE	MAX FLOW	ENGINE	SIZE(MM)
50KPE-VT	5145PSI / 350BAR	16 Lts/min	Honda GX630 V-Twin electric start	1070H x 950W x 1170L

# Portable Petrol-Powered Waterblasters



A range of rugged and reliable petrol powered waterblasters designed for industrial and commercial cleaning jobs.

## YRPRO

### Features:

- Honda petrol engines
- Removable handle
- Pneumatic wheels
- Comes with 3 nozzles
- 14 metres of hose and gun



YR4000ARE.HR



YR4000AR.HR



Fitted with **Annovi Reverberi** high pressure pumps

MODEL	PRESSURE	MAX FLOW	ENGINE	SIZE(MM)
YR3000AR	2600 psi Max 3000psi	13.5 Lts/min	Honda GX200, 6.5hp, OHC, 4-stroke, recoil start	870H x 580W x 800L
YR3500AR.HR	3000 psi Max 3500psi	15.5 Lts/min	Honda GX270, 9.0hp, OHC, 4-stroke, recoil start	870H x 630W x 1000L
YR4000AR.HR	3700 psi Max 4000psi	17.5 Lts/min	Honda GX390, 13.0hp, OHC, 4-stroke, recoil start	870H x 640W x 1000L
YR4000ARE.HR	3700 psi Max 4000psi	17.5 Lts/min	Honda GX390, 13.0hp, OHC, 4-stroke, electric start	1000H x 770W x 900L

# Makinex Dual Pressure Washer / Cleaner



Clean large surface areas faster and easier. The dual pressure washer and dual pressure cleaner combines a rotary cleaner and wand pressure washer in the one machine, with the ease of swapping between them at the turn of a handle.

### Solutions:

- Honda Petrol Engines
- Adjustable pressure from 1000 - 4000psi depending upon model
- A walk behind cleaning machine that gets the job done easier and faster



DPC-2200



DPW-4000

MODEL	DIMENSIONS (HANDLE FOLDED)	WEIGHT	HOSE LENGTH	SOUND LEVEL AT HANDLE	ENGINE	FUEL TANK CAPACITY	FUEL	PUMP	LITRES PER MINUTE	PRESSURE RANGE	ROTARY SIZE
DPC-2200	L 835mm W 480mm H 1030mm	33kg	10M wand length 900mm	92 dBA	Honda GX200	5L	Unleaded 86 octane or higher	AR Triplex pump	11 Litres per minute	2200PSi (fixed)	450mm
DPW-4000	L 1360mm W 620mm H 875mm	107kg	10M wand length 900mm	Sound power level LwA 112 dB (A) Guaranteed sound power level LwA 117 dB (A)	Pull start Honda GX390 air cooled 4-stroke OHV	6.1L	Unleaded 86 octane or higher	Heavy duty AR Triplex with gear reduction, thermal release valve, pressure release valve, pressure gauge & external bypass	15 Litres per minute	1,000 - 4000PSi	610mm

## PARTS AND SERVICE

We are proud of the back-up service we offer to customers.

The importance of stocking genuine spare parts for all the equipment we supply is a high company priority.

**Auckland, Head Office**  
6-10 Parkway Drive,  
Mairangi Bay,  
Auckland  
(+64) 09 443 2436  
sales@yrco.co.nz

**Auckland, Mt Wellington**  
20L Sylvia Park Road,  
Mt Wellington,  
Auckland  
(+64) 09 553 5470  
salesmtwell@yrco.co.nz

**Wellington**  
8 Broken Hill Road,  
Porirua,  
Wellington  
(+64) 04 212 2456  
saleswell@yrco.co.nz

**Christchurch**  
20 Nga Mahi Road,  
Sockburn,  
Christchurch  
(+64) 03 341 6923  
saleschch@yrco.co.nz

